

## BATCH TEST REPORT

**Product Name:** M-CLEAN 400ML  
**Batch No:** 22M013  
**Month of Manufacturing :** December 2022  
**Month of Expiry:** December 2024

Parameter	Test Method	Specification	Results
Appearance	AM-01	Clear Water White liquid & free from foreign particles.	Clear Water White liquid & free from
Dry time	INTERNAL	30 sec	22
Residue on evaporation	AM-19	0.010/100 gms max	0
Specific Gravity @27°C	ASTM 1298	0.750-0.790	0.754

**\*Changes in the appearance of the product have no detrimental effect on the Quality /Performance of the product.**  
**NOTE: Product has been tested for above parameters and it meets the requirements.**

This is a computer generated printout and no signature is required.



ITW India Private Limited, Plot No. 34 to 37, Phase-2, IDA, TSIC, Pashamylaram, Sangareddy Dist. -502 307, Telangana State., India.

Telephone: +91 - 8455 - 224700, 01, 03, 04, 06, 07, 08. Facsimile: +91 - 8455 - 224705. Website: [www.itwchemin.com](http://www.itwchemin.com)

Regd. Office: ITW India Private Limited, Level 1, Lotus Plaza, 732/1, Mehrauli Gurgaon Road, Sector-14, Gurgaon - 122 001, Haryana, India.

Telephone : +91 - 124 - 4284381, Facsimile : +91 - 124 - 4284388, E-mail : [infoindia@itw.com](mailto:infoindia@itw.com)

Corporate Identity Number (CIN) : U32301HR1979PTC038643

Speciality Chemicals & Lubricants Manufacturers