SAFETY DATA SHEET

1. Identification

Product identifier DiamondKote DKW-4655BL

Other means of identification

Part Number DKW-4655BL Recommended use Industrial Use Only **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company Name ITW Probrands

Address 805 East Old Highway 56

> Olathe, KS 66061 Tel: +1 800-452-5823

In Case of Emergency 1-800-424-9300 (inside U.S.) 1-703-527-3887 (outside U.S.)

2. Hazard(s) identification

Physical hazards Not classified.

Reproductive toxicity Category 2 Health hazards

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word

Suspected of damaging fertility or the unborn child. **Hazard statement**

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

If exposed or concerned: Get medical advice/attention. Response

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None known.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous to health according to OSHA 29 CFR 1910.1200.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Material name: DiamondKote DKW-4655BL SDS US Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Value

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Components

Type

Sodium Hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Limit Values Components	Туре	Value	
ACRYLIC ACID (CAS 79-10-7)	TWA	2 ppm	
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
Triethanolamine (CAS 102-71-6)	TWA	5 mg/m3	

Material name: DiamondKote DKW-4655BL

SDS US DKW-4655BL Version #: 01 Issue date: 06-04-2020

US. NIOSH: Pocket Guide to Chemical Hazards

ACRYLIC ACID (CAS TWA 6 mg/m3

Type

79-10-7)

Components

2 ppm

Value

Sodium Hydroxide (CAS 2 mg/m3 Ceiling

1310-73-2)

US. Workplace Environmental Exposure Level (WEEL) Guides

Components **Type** Value **TWA** Decamethylcyclopentasilox 10 ppm ane (CAS 541-02-6) **OCTAMETHYLCYCLOTET TWA** 10 ppm

RASILOXANE (CAS

556-67-2)

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

Acrylic Acid (CAS 79-10-7) Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

Acrylic Acid (CAS 79-10-7) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Acrylic Acid (CAS 79-10-7) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Acrylic Acid (CAS 79-10-7) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Not available. **Form** Liquid. Color Not available.

Odor None.

Odor threshold Not available. 5.8 - 7.8 pН Melting point/freezing point Not available. Initial boiling point and boiling 212 °F (100 °C)

range

Not combustible. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available.

SDS US DKW-4655BL Version #: 01 Issue date: 06-04-2020

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%)

Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available.

0.98 Relative density

Solubility(ies)

Fully miscible. Solubility (water) **Partition coefficient** Not available. (n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** 5000 cP **Viscosity**

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Not available.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components **Species Test Results**

Acrylic Acid (CAS 79-10-7)

Acute Dermal

LD50 Rabbit 1000 mg/kg, 24 Hours

Inhalation

Vapor

LC50 Rat > 4.3 mg/l, 1 Hours

Oral

LD50

Rat 150 - 470 mg/kg

Material name: DiamondKote DKW-4655BL

DKW-4655BL Version #: 01 Issue date: 06-04-2020

Components Species Test Results

Decamethylcyclopentasiloxane (CAS 541-02-6)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Oral

LD50 Rat > 20000 mg/kg

Octamethylcyclotetrasiloxane (CAS 556-67-2)

Acute Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Triethanolamine (CAS 102-71-6)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 6400 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

ACGIH Carcinogens

Acrylic Acid (CAS 79-10-7)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Acrylic Acid (CAS 79-10-7) 3 Not classifiable as to carcinogenicity to humans. Triethanolamine (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

ComponentsSpeciesTest ResultsSodium Hydroxide (CAS 1310-73-2)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 34.59 - 47.13 mg/l, 48 hours

Fish LC50 Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours

Material name: DiamondKote DKW-4655BL DKW-4655BL Version #: 01 Issue date: 06-04-2020

Components **Test Results Species**

Triethanolamine (CAS 102-71-6)

Aquatic

EC50 Crustacea Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 10610 - 13010 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

0.35 Acrylic Acid Decamethylcyclopentasiloxane 5.2 Triethanolamine -1

Not established. Mobility in soil Other adverse effects None known.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable. Not applicable.

the IBC Code

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication US federal regulations

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Octamethylcyclotetrasiloxane (CAS 556-67-2) 1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acrylic Acid (CAS 79-10-7) Listed. Sodium Hydroxide (CAS 1310-73-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard categories

Reproductive toxicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Acrylic Acid (CAS 79-10-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

Acrylic Acid (CAS 79-10-7) Sodium Hydroxide (CAS 1310-73-2) Triethanolamine (CAS 102-71-6)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Acrylic Acid (CAS 79-10-7)

Decamethylcyclopentasiloxane (CAS 541-02-6) Octamethylcyclotetrasiloxane (CAS 556-67-2) Sodium Hydroxide (CAS 1310-73-2)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 06-04-2020

Version # 01

DKW-4655BL Version #: 01 Issue date: 06-04-2020

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. ITW Fluids North America cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.