

# **SAFETY DATA SHEET**

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name EZ 602 GL-1
 1.2 Use of substance Lubricant Grease

1.3 Manufacturer/Supplier ITW Chemin, ITW INDIA PRIVATE LIMITED

Plot No: 34-37, Phase- 2, IDA, TSIIC, Pashammylaram, SangaReddy District.

Address 502307, INDIA

 Phone Number
 +91 8455 224700/01

 Fax Number
 +91 8455 224705

 Emergency Cell Number
 +919000031515

E-Mail chemininfo@itwchemin.com

Website www.itwchemin.com

### 2. HAZARD IDENTIFICATION

#### **GHS label Element:**

1.4

<u>Hazard statements</u>: H315: Causes skin irritation.

Hazard Pictogram: GHS07: Exclamation mark



Signal Word: Warning

#### Precautionary statements:

P102: Keep out of reach of children

P240: Ground/Bond container and receiving equipment. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+361+353: If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P312: Call if you feel unwell.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

Other Hazards: This product is not identified as a PBT/vPvB substance.

## 3. COMPOSITION/INFORMATION ON THE COMPONENTS

SDS first issued : Apr'2008 SDS Revised on/Ver# : Sep 19 Rev: 04, Supersedes :Jan'17, REV: 03

Page **1** of **5** 



## No Hazardous components as per OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

Component Name	CAS#		Exposure
Calvent refined been ail	64742.04.04	Concentration	Limits
Solvent refined base oil	64742-01-04	>60%	Not established
Lithium Soap	Mixture	15-25%	
Additives		5-15%	

		5. FIRE FIGHTING MEASURES	
Inh	nalation	Remove causality from exposure ensuring one's own safety whilst doing so.	May be coughing and sore throat
Ing	gestion	Wash out mouth with water	May be irritation of throat
Sk	in contact	Wash immediately with plenty of soap and water	May be Irritation and redness
Еу	e contact	Bathe the eye with running water for 15 minutes. Consult a doctor	May be Mild irritation at the site of contact.

5. FIRE FIGHTING MEASURES				
5.1	Extinguishing Media	Use foam, dry chemical or carbon dioxide.		
5.2	Specific hazards arising from the chemical	This product may give rise to hazardous fumes in a fire.		
5.3	Advice for fire-fighters	Full protective clothing and self containing breathing apparatus.		
5.4	Unsutiable Extinguishing Media	Do not use water jet.		

# 6. ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions	Material can create slippery conditions underfoot.
6.2	Environmental Precautions	Try to prevent the material from entering drains or rivers.
6.3	Methods and material for containment and cleaning up	Contain and absorb using earth, sand or other inert material. Transfer into suitable containers for recovery or disposal. Finally flush area with plenty of water.

# 7. HANDLING AND STORAGE

4. FIRST AID MEASURES

7.1 **Handling** Keep away from heat, sparks and flame.

7.2 **Storage** Storage temperature should be controlled to between 5 and 45 °C

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters** DNEL / PNEC No data available.

SDS first issued : Apr'2008 SDS Revised on/Ver# : Sep 19 Rev: 04, Supersedes :Jan'17, REV: 03 Page 2 of 5



**Engineering Control** 8.2

Measures

Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Use of the basic principles of Industrial Hygiene will enable this material to be

used safely.

Individual protection measures, such as 8.3

personal protective equipment

**Respiratory Protection** 

Respiratory protection not normally required.

Wearing impervious protective gloves made from neoprene, nitrile or n-butyl rubber can

minimize skin contact.

Use a good quality water-soluble barrier cream. Chemical goggles if there is a risk of eye contact.

**Eye Protection** 

**Hand Protection** 

Normal work wear. **Body Protection** 

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical

state, color, etc.).

Amber to brown thick paste

Odor No charcterstic odour

Viscosity Thick paste NLGI grade-1

рΗ Not Applicable

Melting Point/Freezing

point

Not Applicable

initial boiling point and

boiling range.

>230°C

>190°C flash point.

evaporation rate. Not Applicable flammability (solid, gas). Not Applicable upper/lower flammability Not Applicable or explosive limits.

Not Applicable vapor pressure. vapor density. Not Applicable

relative density. <1 Kg/L

solubility(ies). Not solublein water

Partition coefficient: n-

octanol/water.

Not Applicable

**Auto ignition** temperature.

Above 200

Decomposition temperature.

Not established

NOTE: The above data are typical values and cannot be inferred as specifications

## 10. STABILITY AND REACTIVITY

10.1 Reactivity None Known

10.2 Chemical stability Stable under normal condition

Possibility of Hazardous 10.3

reaction

None

10.4 Condition to avoid **High Temperatures** 

SDS first issued : Apr'2008 SDS Revised on/Ver#: Sep 19 Rev: 04, Supersedes: Jan'17, REV: 03 Page 3 of 5



10.5 **Incompatible material** Strong oxidizing agents. Strong acids.

10.6 Hazardous Decomposition Products combustion will generate: Carbon dioxide and carbon monoxide vapors.

# 11. TOXICOLOGICAL INFORMATION

11.1 Routes of exposure Refer to section 4 of SDS for routes of exposure and corresponding symptoms

## 12. ECOLOGICAL INFORMATION

12.1 Eco toxicity Not known
12.2 persistence and degradability Not known

12.3 Bio accumulative potential Not known

12.4 **Mobility in soil.** Non-volatile absorbed only slowly in to soil.

12.5 Other adverse effects

#### 13. DISPOSAL

13.1 **Product Disposal** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

Labels should not be removed from containers until they have been cleaned. Dispose of containers with care. Do not incinerate closed containers. Empty aerosol cans before

disposal

## 14. TRANSPORT INFORMATION

14.1 **UN** number ---

**Container Disposal** 

14.2 UN proper shipping ----

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the out-of-the substance and environmental regulations/legislation specific for No significant hazard

the substance or mixture

15.2 Chemical Safety None

Assessment None

The regulatory information given above only indicates the principle regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which

complete these regulations. Refer to all applicable national and local regulations or provisions.

### 16. OTHER INFORMATION

Product Use For industrial use only. Metal Working Fluid

SDS first issued April,2008

SDS data revised, Ref. Sep'2019, REV: 04 No.

SDS first issued : Apr'2008 SDS Revised on/Ver# : Sep 19 Rev: 04, Supersedes :Jan'17, REV: 03 Page 4 of 5



Legal disclaimer

The above information is believed to be correct but does not purport to be all-inclusive and shall be only used as guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

SDS first issued : Apr'2008 SDS Revised on/Ver# : Sep 19 Rev: 04, Supersedes :Jan'17, REV: 03 Page 5 of 5