

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name EZ 602 HLM
 1.2 Use of substance Lubricant Grease

1.3 Manufacturer/Supplier ITW Chemin, ITW INDIA PRIVATE LIMITED

Plot No: 34-37, Phase- 2, IDA, TSIIC, Pashammylaram, SangaReddy Dist.-

Address 502307, INDIA

 Phone Number
 +91 8455 224700/01

 Fax Number
 +91 8455 224705

 Emergency Cell Number
 +919000031515

E-Mail chemininfo@itwchemin.com

Website www.itwchemin.com

2. HAZARD IDENTIFICATION

GHS label Element:

1.4

<u>Hazard statements</u>: H315: Causes skin irritation.

Hazard Pictogram: GHS07: Exclamation mark



Signal Word: Warning

Precautionary statements:

P102: Keep out of reach of children

P240: Ground/Bond container and receiving equipment. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+361+353: If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P312: Call if you feel unwell.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

Other Hazards: This product is not identified as a PBT/vPvB substance.

3. COMPOSITION/INFORMATION ON THE COMPONENTS

SDS first issued: Apr'08 SDS Revised on/Ver#: Sep 19 Rev: 04, Supersedes: Jan'16, 03

Page **1** of **4**



No Hazardous components as per OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

CAS# **Component Name Exposure** Concentration Limits Solvent refined base oil 64742-01-04 >60% Not establishd Lithium Soap Mixture 15-25% Mixture Additives 5-15%

4. FIRST AID MEASURES

		4.1: First aid measures	4.2:Symptoms
	Eye contact	Bathe the eye with running water for 15 minutes. Consult a doctor	May be Mild irritation at the site of contact.
	Skin contact	Wash immediately with plenty of soap and water	May be Irritation and redness
	Ingestion	Wash out mouth with water	May be irritation of throat
	Inhalation	Remove causality from exposure ensuring one's own safety whilst doing so.	May be coughing and sore throat
	5. FIRE FIGHTING MEASURES		
5.1	Extinguishing Media	Use foam, dry chemical or carbon dioxide.	
5.2	Specific hazards arising from the chemical	This product may give rise to hazardous fumes in a fire.	
5.3	Advice for fire-fighters	Full protective clothing and self containing breathing apparatus	
5.4	Unsutiable Extinguishing Media	Do not use water jet.	
6. ACCIDENTAL RELEASE MEASURES			
6.1	Personal Precautions	Material can create slippery conditions underfoot.	
6.2	Environmental Precautions	Try to prevent the material from entering drains or rivers.	
6.3	Methods and material for containment and cleaning up	Contain and absorb using earth, sand or other inert material. Transfer into suitable containers for recovery or disposal. Finally flush area with plenty of water.	
7. HANDLING AND STORAGE			
7.1	Handling	Keep away from heat, sparks and flame.	
7.2	Storage	Storage temperature should be controlled to between 5 and 45	o °C
9 EVENCUEE CONTROL S/DEDSONAL DEGLECTION			

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters** DNEL / PNEC No data available.

SDS first issued : Apr'08 SDS Revised on/Ver# : Sep 19 Rev: 04, Supersedes : Jan'16, 03

Page **2** of **4**



Engineering Control 8.2

Measures

Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Use of the basic principles of Industrial Hygiene will enable this material to be used safely.

Individual protection measures, such as 8.3 personal protective

equipment

Respiratory Protection Respiratory protection not normally required.

Wearing impervious protective gloves made from neoprene, nitrile or n-butyl rubber

Hand Protection can minimize skin contact.

Use a good quality water-soluble barrier cream. Chemical goggles if there is a risk of eye contact.

Eye Protection

Body Protection Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical

state, color, etc.).

Amber to brown thick paste

Odor

No charcterstic odour

Viscosity

Thick paste NLGI grade-2

pН **Melting Point/Freezing**

point

Not Applicable Not Applicable

initial boiling point and

boiling range.

>230°C

flash point.

>190°C

evaporation rate.

Not Applicable

flammability (solid, gas). upper/lower flammability Not established

or explosive limits.

Not Applicable

NA

vapor pressure. vapor density.

NA

relative density. <1 Kg/L solubility(ies). Not solublein water

Partition coefficient: n-

Not established

octanol/water. **Auto ignition**

Above 200

temperature.

Decomposition

temperature.

Not established

NOTE:

The above data are typical values and cannot be inferred as specifications

10. STABILITY AND REACTIVITY

10.1 Reactivity None Known

10.2 Stable under normal condition **Chemical stability**

Possibility of Hazardous 10.3

reaction

None

10.4 Condition to avoid **High Temperatures**

Incompatible material Strong oxidizing agents. Strong acids. 10.5

SDS first issued : Apr'08 SDS Revised on/Ver#: Sep 19 Rev: 04, Supersedes: Jan'16, 03

Page **3** of **4**



Hazardous 10.6 combustion will generate: Carbon dioxide and carbon monoxide vapors. **Decomposition Products**

11. TOXICOLOGICAL INFORMATION

11.1 Routes of exposure Refer to section 4 of SDS for routes of exposure and corresponding symptoms

12. ECOLOGICAL INFORMATION

12.1 **Eco toxicity** Not known

persistence and 12.2 Not known degradability

Bio accumulative 12.3 Not known potential

Non-volatile absorbed only slowly in to soil. Mobility in soil. 12.4

Other adverse effects 12.5

13. DISPOSAL

13.1 **Product Disposal** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

> Labels should not be removed from containers until they have been cleaned. Dispose of containers with care. Do not incinerate closed containers. Empty aerosol cans

before disposal

14. TRANSPORT INFORMATION

14.1 **UN** number

Container Disposal

UN proper shipping 14.2 name

Transport hazard 14.3 class(es)

14.4 Packing group

14.5 **Environmental hazards**

Special precautions for 14.6

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific 15.1

for the substance or mixture

Chemical Safety 15.2 None

Assessment

Note

The regulatory information given above only indicates the principle regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national and local regulations or provisions.

16. OTHER INFORMATION

Product Use For industrial use only. Metal Working Fluid

SSDS first issued April,2008

SSDS data revised, Ref.

No.

Sep'2019,REV: 04

The above information is believed to be correct but does not purport to be all-inclusive Legal disclaimer

and shall be only used as guide. This company shall not be held liable for any damage

No significant hazard

resulting from handling or from contact with the above product.

SDS first issued : Apr'08 SDS Revised on/Ver# : Sep 19 Rev: 04, Supersedes: Jan'16, 03

Page 4 of 4