


SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name	RP 104S
Use of substance	Rust Preventive Oil
Manufacturer/Supplier	ITW CHEMIN, ITW INDIA PRIVATE LIMITED
Address	Plot No: 34-37, Phase- 2, IDA, TSIC, Pashamylaram, Sangareddy - 502307, INDIA
Phone Number	+91 8455 224700/01
Fax Number	+91 8455 224705
Emergency Cell Number	+919000031515
E-Mail	chemininfo@itwchemin.com
Website	www.itwchemin.com

2. HAZARD IDENTIFICATION

Hazard statements:	H315: Causes skin irritation. H319: Causes serious eye irritation
Hazard Pictogram:	GHS07: Exclamation mark 
Signal Word:	Warning
Precautionary statements:	P102: Keep out of reach of children P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P240: Ground/Bond container and receiving equipment. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+361+353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312: Call if you feel unwell. P403+233: Store in a well-ventilated place. Keep container tightly closed.
Other Hazards:	This product is not identified as a PBT/vPvB substance.

3. COMPOSITION/INFORMATION ON THE COMPONENTS

No Hazardous components as per OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

<u>Component Name</u>	<u>CAS#</u>	<u>Concentration</u>
Heavy Normal Paraffins	-----	60-75%
Naphthenic based oils	-----	15-30%
Sulphonate derivatives	-----	5-15%

4. FIRST AID MEASURES

4.1: First aid measures

4.2: Symptoms

Eye contact	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists	Irritant, not likely to cause permanent damage.
Skin contact	Wash skin with soap and water. Apply a reconditioning skin cream.	Mild to severe skin irritant, Prolonged contact can cause redness, swelling and cracking of skin.
Ingestion	Wash out mouth with water. Do not induce vomiting. Obtain medical attention.	Swallowing may have the following effects: - irritation of mouth, throat and digestive tract. Nausea
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give artificial respiration .Call for prompt Medical assistance.	Little, if any, effects caused by inhalation of the vapors from this product. In high concentrations, Head ache, Giddiness, Mental confusion, Nausea and irritation of upper respiratory passages.

5. FIRE FIGHTING MEASURES

Extinguishing Media	Use foam, dry chemical or carbon dioxide.
Advice for fire-fighters	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
Unsuitable Extinguishing Media	Do not use water jet

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Material can create slippery conditions underfoot.
Environmental Precautions	Try to prevent the material from entering drains or rivers.

Methods and material for containment and cleaning up

Contain and absorb using, sand or other inert material. Transfer into suitable containers for recovery or disposal. Flush area with water.

7. HANDLING AND STORAGE

Handling

Keep away from heat, sparks and Flame.

Storage

Store in well – ventilated area and in accordance with local regulations regarding flammable liquid.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

DNEL / PNEC No data available.

Engineering Control Measures

Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Use of the basic principles of Industrial Hygiene will enable this material to be used safely.

Individual protection measures, such as personal protective equipment

Respiratory Protection

Respiratory protection not normally required. If operating conditions create air borne Concentrations that are exceeding the exposure standards, the use of an approved Respirator is recommended.

Hand Protection

Avoid contact with skin or clothing. Wearing impervious protective clothing including gloves can minimize skin contact. Protective clothing made from neoprene, nitrile or n- butyl rubber is suitable in these applications.

Eye Protection

Avoid eye contact. Chemical safety goggles if there is a risk of eye contact.

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

(physical state, color, etc.).

Amber Color Liquid

Odor

Mild petroleum Odor

Viscosity

Mobile liquid (~4±2.0 cSt)

Melting Point/Freezing point Not determined

Initial boiling point and boiling range. Boils above 100°C (190-230)

Flash point

> 100°C

Evaporation rate. flammability (solid, gas), upper/lower flammability or explosive limits <1(B_u Ac=1)

Vapor pressure.	<1
Vapor density.	>1Kg/L
Density.	0.82±0.02 Kg/L
Solubility(ies).	Not miscible in water
Partition coefficient: n-octanol/water.	Not determined
Auto ignition temperature.	Above 150°C
Decomposition temperature.	Not determined
NOTE:	The above data are typical values and cannot be inferred as specifications

10. STABILITY AND REACTIVITY

Reactivity	Stable under recommended transport or storage conditions
Chemical stability	Stable under normal condition
Possibility of Hazardous reaction	Hazardous reaction not occur under normal transport or storage condition
Condition to avoid	High temperatures
Incompatible material	Strong oxidizing agents. Strong acids
Hazardous Decomposition Products	After evaporation of water, combustion will generate: oxides of nitrogen, ammonia smoke, possibly thick and choking, resulting in zero visibility.

11. TOXICOLOGICAL INFORMATION

Routes of exposure	Refer to section 4 of SDS for routes of exposure and corresponding symptoms
---------------------------	---

12. ECOLOGICAL INFORMATION

Eco toxicity	No data available
persistence and degradability	The product is expected to be partially or slowly biodegradable
Bio accumulative potential	No data available
Mobility in soil.	The product will leach into soil. The product is non- volatile and water- soluble and will partition to the aqueous phase.
Other adverse effects

13. DISPOSAL

Product Disposal/	Incineration. Dispose of in accordance with all applicable local and national regulations.
Container Disposal	Labels should not be removed from containers until they have been cleaned. Dispose of containers with care. Do not incinerate closed containers.

14. TRANSPORT INFORMATION

UN number	--
UN proper shipping name	--
Transport hazard class(es)	--
Packing group	--
Environmental hazards	Environmentally Hazard: No Marine Pollutant: No

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture	Flammable
Chemical Safety Assessment	None

Note The regulatory information given above only indicates the principle regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national and local regulations or provisions.

16. OTHER INFORMATION

Product Use	For industrial use, only. Rust preventive Oil
SDS first issued	March-2018
SDS Revised on/Version #	---

Legal disclaimer The above information is believed to be correct but does not purport to be all-inclusive and shall be only used as guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.