

# **SAFETY DATA SHEET**

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name MET-L-GARD RP 401S

Use of substance Rust Preventive Oil

Manufacturer/Supplier ITW CHEMIN, ITW INDIA PRIVATE LIMITED

Plot No: 34-37, Phase- 2, IDA, TSIIC, Pashammylaram, Sangareddy - 502307, INDIA

Address

Phone Number +91 8455 224700/01
Fax Number +91 8455 224705
Emergency Cell +91 9000031515

+919000031515 Number

E-Mail <u>chemininfo@itwchemin.com</u>

Website <u>www.itwchemin.com</u>

#### 2. HAZARD IDENTIFICATION

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation

H305: Aspiration Hazard

Hazard Pictogram:





Signal Word: Warning

Precautionary statements: P102: Keep out of reach of children

P210: Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources.

P240: Ground/Bond container and receiving equipment. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P303+361+353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing. P312: Call if you feel unwell.

P403+233: Store in a well-ventilated place. Keep container

Tightly closed.

Other Hazards: This product is not identified as a PBT/vPvB substance.



# 3. COMPOSITION/INFORMATION ON THE COMPONENTS

### No Hazardous components as per OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

Component Name	CAS#	<b>Concentration</b>
Heavy Normal Paraffin Distillates (petroleum), hydrotreated light	64742-47-8	20-35%
Distillates (petroleum), hydrotreated heavy	4742-52-5	50-65%
naphthenic Sulphonate derivatives		5-15%

## 4. FIRST AID MEASURES

	4.1: First aid measures	4.2: Symptoms
Eye contact	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open.  Obtain medical attention if soreness or redness persists	Irritant, not likely to cause permanent damage.
Skin contact	Wash skin with soap and water. Apply a reconditioning skin cream.	Mild to severe skin irritant, Prolonged contact can cause redness, swelling and cracking of skin.
Ingestion	Wash out mouth with water. Do not induce vomiting. Obtain medical attention.	Swallowing may have the following effects: - irritation of mouth, throat and digestive tract. Nausea
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give artificial respiration .Call for prompt Medical assistance.	Little, if any, effects caused by inhalation of the vapors from this product. In high concentrations, Head ache, Giddiness, Mental confusion, Nausea and irritation of upper respiratory passages.

# 5. FIRE FIGHTING MEASURES

**Extinguishing Media** Use foam, dry chemical or carbon dioxide.

Advice for fire-fighters Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin

and eyes.

Unsuitable Extinguishing Media

Do not use water jet



#### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Material can create slippery conditions underfoot.

**Environmental Precautions** 

Try to prevent the material from entering drains or rivers.

Methods and material for containment and cleaning up

Contain and absorb using, sand or other inert material. Transfer into suitable containers for recovery or disposal. Flush area with water.

#### 7. HANDLING AND STORAGE

Handling Keep away from heat, sparks and Flame.

Storage

Store in well - ventilated area and in accordance with local

regulations regarding flammable liquid.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters** DNEL / PNEC No data available.

**Engineering Control** 

Measures

Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Use

of the basic principles of Industrial Hygiene will enable this material to be used safely.

Individual protection measures, such as personal protective equipment

Respiratory protection not normally required. If operating conditions **Respiratory Protection** 

create air borne Concentrations that are exceeding the exposure standards, the use of an approved Respirator is recommended.

Avoid contact with skin or clothing. Wearing impervious protective **Hand Protection** 

clothing including gloves can minimize skin contact. Protective clothing made from neoprene, nitrile or n- butyl rubber is suitable

in these applications.

**Eye Protection** Avoid eye contact. Chemical safety goggles if there is a risk of eye

contact.

**Body Protection** Normal work wear.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

(physical state, color, etc.). Amber Color Liquid

Odor Mild petroleum Odor

Viscosity 10±2.0 cSt

Melting Point/Freezing point Not determined



Initial boiling point and boiling range. Boils above 100°C (190-230)

> 100°C Flash point

Evaporation rate, flammability (solid, gas), upper/lower flammability or explosive limits <1(Bu Ac=1)

<1 Vapor pressure.

Vapor density. >1Kg/L

Density. 0.88±0.02 Kg/L Solubility(ies). Not miscible in water

Partition coefficient: n-

Not determined

octanol/water.

**Auto ignition** temperature.

Above 150°C

Decomposition temperature.

Not determined

NOTE: The above data are typical values and cannot be inferred as specifications

### 10. STABILITY AND REACTIVITY

Reactivity Stable under recommended transport or storage conditions

Chemical stability Stable under normal condition

Possibility of

Hazardous reaction

Hazardous reaction not occur under normal transport or storage condition

Condition to avoid High temperatures

Incompatible material Strong oxidizing agents. Strong acids

Hazardous Decomposition

**Products** 

After evaporation of water, combustion will generate: oxides of nitrogen, ammonia smoke,

possibly thick and choking, resulting in zero visibility.

### 11. TOXICOLOGICAL INFORMATION

Routes of exposure Refer to section 4 of SDS for routes of exposure and corresponding symptoms

#### 12. ECOLOGICAL INFORMATION

**Eco toxicity** No data available

persistence and degradability

The product is expected to be partially or slowly biodegradable

Bio accumulative

potential

No data available

Mobility in soil.

The product will leach into soil. The product is non-volatile and water-soluble and will partition

to the aqueous phase.

Other adverse effects

#### 13. DISPOSAL

Product Disposal/ Incineration. Dispose of in accordance with all applicable local and national regulations.

**Container Disposal** 

Labels should not be removed from containers until they have been cleaned. Dispose of

containers with care. Do not incinerate closed containers.



### 14. TRANSPORT INFORMATION

UN number

UN proper shipping

name

Transport hazard

class(es)

Packing group

Environmental hazards Environmentally Hazard: No

Marine Pollutant: No

### 15. REGULATORY INFORMATION

Safety, health and environmental

regulations/legislation specific for the substance or

mixture

**Chemical Safety** 

**Assessment** 

None

Note

The regulatory information given above only indicates the principle regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national and local regulations or provisions.

Flammable

### **16. OTHER INFORMATION**

Product Use For industrial use, only. Rust preventive Oil

SDS first issued Dec-2017

SDS Revised on/Version # Apr'18/02

Legal disclaimer The above information is believed to be correct but does not purport to be all-inclusive and shall

be only used as guide. This company shall not be held liable for any damage resulting from

handling or from contact with the above product.