

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name	MET-L-GARD RP 601CR
Use of substance	Rust preventive oil
Manufacturer/Supplier	ITW Chemin, ITW INDIA PRIVATE LIMITED
Address	Plot No: 34-37, Phase- 2, IDA, TSIIC, Pashammylaram, Sangareddy 502307, INDIA
Phone Number	+91 8455 224700/01
Fax Number	+91 8455 224705
Emergency Cell Number	+919000031515
E-Mail	chemininfo@itwchemin.com
Website	www.itwchemin.com
	T

2. HAZARD IDENTIFICATION

Hazard statements:	H315: Causes skin irritation. H319: Causes serious eye irritation H226: Flammable liquid and vapor.
Hazard Pictogram:	GHS07: Exclamation mark GHS02: Flame
Signal Word:	Warning
Precautionary statements:	 P102: Keep out of reach of children P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P240: Ground/Bond container and receiving equipment. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+361+353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312: Call if you feel unwell. P403+233: Store in a well-ventilated place. Keep container Tightly closed.
Other Hazards:	This product is not identified as a PBT/vPvB substance.



3. COMPOSITION/INFORMATION ON THE COMPONENTS

No Hazardous components as per OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

	Component Name	CAS#	Concentration	
	Mineral solvent	8006-64-2	65-80%	
	Sulphonate derivates		5-15%	
	Solvent de-Waxed residual oil	64742-62-7	10-25%	
4. FIR	ST AID MEASURES			
		4.1: First aid measure	s	4.2: Symptoms
	Eye contact	Immediately flood the e water for at least 15 min eye open. Obtain medic soreness or redness persists	nutes, holding the	Irritant, not likely to cause permanent damage.
	Skin contact	Wash skin with soap an reconditioning skin crea		Mild to severe skin irritant, Prolonged contact can cause redness, swelling and cracking of skin.
	Ingestion	Wash out mouth with w induce vomiting. Obtain attention.		Swallowing may have the following effects:- irritation of mouth, throat and digestive tract. Nausea Little, if any, effects caused
	Inhalation	Move to fresh air in cas inhalation of vapors. If stopped breathing, give respiration .Call for pro	victim has artificial	by inhalation of the vapors from this product. In high concentrations, Head ache, Giddiness, Mental confusion, Nausea and irritation of upper respiratory passages.
		5. FIRE FIGHTING N	MEASURES	
	Extinguishing Media	Use foam, dry chemica	l or carbon dioxide	
	Specific hazards arising from the chemical	This product may give rise to hazardous fumes in a fire.		



Advic fighte	ee for fire- rs	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
Unsut Exting	iable guishing Media	Do not use water jet
6. ACCIDENT	TAL RELEASE M	IEASURES
Person	nal Precautions	Material can create slippery conditions underfoot.
Enviro Preca	onmental utions	Try to prevent the material from entering drains or rivers.
	ods and material ntainment and ng up	Contain and absorb using, sand or other inert material. Transfer into suitable containers for recovery or disposal. Flush area with water.
7. HANDLING	G AND STORAGI	Ε
Handl	ing	Keep away from heat, sparks and Flame.
Storag	ge	Store in well – ventilated area and in accordance with local regulations regarding flammable liquid.
8. EXPOSUR	E CONTROLS/PE	CRSONAL PROTECTION
Contr	ol parameters	DNEL / PNEC No data available.
Engin Measu	eering Control ıres	Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Use of the basic principles of Industrial Hygiene will enable this material to be used safely.
measu	dual protection ares, such as nal protective ment	Use all applicable personal protective equipment.
Respir	ratory Protection	Respiratory protection not normally required. If operating conditions create air borne Concentrations that are exceeding the exposure standards, the use of an approved Respirator is recommended.
Hand	Protection	Avoid contact with skin or clothing. Wearing impervious protective clothing including gloves can minimize skin contact. Protective clothing made from neoprene, nitrile or n- butyl rubber is suitable in these applications.
Eye P	rotection	Avoid eye contact. Chemical safety goggles if there is a risk of eye contact.
Body	Protection	Normal work wear.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc	.). Amber color Liquid
Odor	Mild petroleum base odor
Viscosity	Mobile liquid at ambient temperatures.
рН	Not applicable
Melting Point/Freezing point	Not applicable
Initial boiling point and boiling range	Boils above 100. (190-230 ⁰ C)
Flash point.	>38°C
Evaporation rate.	Not Available
Flammability (solid, gas).	Not Available
Upper/lower flammability or explosive limits.	Not Available
Vapor pressure.	>1
Vapor density.	>1
Relative density.	0.80-0.83
Solubility(ies).	Not Miscible in water
Partition coefficient: n-octanol/water.	. Not Available
Auto ignition temperature.	Above 150
Decomposition temperature.	Not Available
NOTE: The al	bove data are typical values and cannot be inferred as specifications
10. STABILITY AND REACTIVITY	
Reactivity Stable under	recommended transport or storage conditions

ReactivityStable under recommended transport or storage conditionsChemical stabilityStable under normal conditionPossibility ofHazardous reaction not occur under normal transport or storage
condition

Condition to avoid High temperatues



Incompatible material	Strong oxidizing agents. Strong acids
Hazardous Decomposition Products	After evaporation of water, combustion will generate: oxides of nitrogen, ammonia smoke, possibly thick and choking, resulting in zero visibility.

11. TOXICOLOGICAL INFORMATION

11. TOXICOLOGICAL INFO		
Routes of exposure	Refer to section 4 of SDS for routes of exposure and corresponding symptoms	
12. ECOLOGICAL INFORMA	TION	
Eco toxicity	No data available	
persistence and degradability	The product is expected to be partially or slowly biodegradable	
Bio accumulative potential	No data available	
Mobility in soil.	The product will leach into soil. The product is non-volatile and water- soluble and will partition to the aqueous phase.	
Other adverse effects		
13. DISPOSAL		
Product Disposal	Incineration. Dispose of in accordance with all applicable local and national regulations.	
Container Disposal	Labels should not be removed from containers until they have been cleaned. Dispose of containers with care. Do not incinerate closed containers.	
14. TRANSPORT INFORMAT	ION	
UN number	1993	
UN proper shipping name	Shipping name: "Flammable liquid"	
Transport hazard class(es)	3	
Packing group	III	
Environmental hazards Special precautions for user	Environmentally Hazard : No Marine Pollunt : No	



15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture	
Chemical Safety Assessment	None

Flammable

Note The regulatory information given above only indicates the principle regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national and local regulations or provisions.

16. OTHER INFORMATION		
Product Use	For industrial use only. Rust preventive oil	
SDS first issued	June 2015	
SDS Revised on/ Revision	h # Dec'17/04	
Legal disclaimer	The above information is believed to be correct but does not purport to be all-inclusive and shall be only used as guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.	