

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name MET-L-GARD RP 707 T

Use of substance Rust preventive oil

Manufacturer/Supplier ITW Chemin, ITW INDIA PRIVATE LIMITED

Plot No: 34-37, Phase- 2, IDA, TSIIC, Pashammylaram, Sangareddy District-

Address 502307, INDIA

 Phone Number
 +91 8455 224700/01

 Fax Number
 +91 8455 224705

Emergency Cell

Number +919000031515

E-Mail chemininfo@itwchemin.com

Website www.itwchemin.com

2. HAZARD IDENTIFICATION

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation

Hazard Pictogram: GHS07: Exclamation mark



Signal Word: Warning

Precautionary statements: P102: Keep out of reach of children

P240: Ground/Bond container and receiving equipment. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P303+361+353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing. P312: Call if you feel unwell.

P403+233: Store in a well-ventilated place. Keep container

Tightly closed.

Other Hazards: This product is not identified as a PBT/vPvB substance.



confusion, Nausea and irritation of upper respiratory passages.

3. COMPOSITION/INFORMATION ON THE COMPONENTS

No Hazardous components as per OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

Component Name	CAS#	Concentration
Hydro treated heavy naptha	64742-48-9	70-85%
Oxidixed hydro carbons	8002-74-02	15-25%

4. FIRST AID MEASURES

	4.1: First aid measures	4.2: Symptoms
Eye cont	Immediately flood the eye with plenty of water fo at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists	
Skin con	Wash skin with soap and water. Apply a reconditioning skin cream.	Mild to severe skin irritant, Prolonged contact can cause redness, swelling and cracking of skin.
Ingestion	Wash out mouth with water. Do not induce vomiting. Obtain medical attention.	Swallowing may have the following effects:- irritation of mouth, throat and digestive tract. Nausea
Inhalatio	Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give	Little, if any, effects caused by inhalation of the vapors from this product. In high concentrations, Head ache, Giddiness, Mental

5. FIRE FIGHTING MEASURES

_			
	5.4	Unsutiable Extinguishing Media	Do not use water jet
	5.3	Advice for fire-fighters	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
	5.2	Specific hazards arising from the chemical	This product may give rise to hazardous fumes in a fire.
	5.1	Extinguishing Media	Use foam, dry chemical or carbon dioxide.

artificial respiration .Call for prompt

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions	Material can create slippery conditions underfoot.
6.2	Environmental Precautions	Try to prevent the material from entering drains or rivers.
6.3	Methods and material for containment and cleaning up	Contain and absorb using, sand or other inert material. Transfer into suitable containers for recovery or disposal. Flush area with water.

7. HANDLING AND STORAGE

7.1	Handling	Keep away from heat, sparks and Flame.
7.2	Storago	Store in well – ventilated area and in accordance with local
	7.2 Storage	regulations regarding flammable liquid.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters DNEL / PNEC No data available.

Engineering Control 8.2

Measures

Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Use of the basic principles of Industrial Hygiene will enable this

material to be used safely.

Individual protection measures, such as 8.3 personal protective

equipment

Hand Protection

Respiratory Protection

Respiratory protection not normally required. If operating conditions create air borne Concentrations that are exceeding the exposure

standards, the use of an approved Respirator is recommended. Avoid contact with skin or clothing. Wearing impervious protective clothing including gloves can minimize skin contact. Protective

clothing made from neoprene, nitrile or n- butyl rubber is suitable in these applications.

Avoid eye contact. Chemical safety goggles if there is a risk of eye **Eye Protection**

contact.

Body Protection Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical

state, color, etc.).

Amber color Liquid

Odor

Pleasant odor

Viscosity

Mobile liquid at ambient temperatures

pН Not Applicable

Melting Point/Freezing point

Not Applicable

initial boiling point and

boiling range.

Boils above200.(230-250)

>90°C flash point.

evaporation rate. <1(Bµ Ac=1)

flammability (solid, gas). Not Applicable

upper/lower

flammability or explosive limits. Not Applicable

vapor pressure. <1

vapor density. >1Kg/L

Density. 0.78-0.82 Kg/L solubility(ies). Not miscible

Partition coefficient: n-

octanol/water.

Not Applicable

Auto ignition temperature.

Above 200

Decomposition

Not Applicable

temperature.

NOTE:

The above data are typical values and cannot be inferred as specifications



40 OTABILITY AND DEACTIVITY			
10. STAE	BILITY AND REACTI	VIIY	
10.1	Reactivity	Stable under recommended transport or storage conditions	
10.2	Chemical stability	Stable under normal condition	
10.3	Possibility of Hazardous reaction	Hazardous reaction not occur under normal transport or storage condition	
10.4	Condition to avoid	High temperatues	
10.5	Incompatible material	Strong oxidizing agents. Strong acids	
10.6	Hazardous Decomposition Products	After evaporation of water, combustion will generate: oxides of nitrogen, ammonia smoke, possibly thick and choking, resulting in zero visibility.	
11. TOXI	COLOGICAL INFOR	MATION	
11.1	Routes of exposure	Refer to section 4 of SDS for routes of exposure and corresponding symptoms	
12. ECO	LOGICAL INFORMA	TION	
12.1	Eco toxicity	No data available	
12.2	persistence and degradability	The product is expected to be partially or slowly biodegradable	
12.3	Bio accumulative potential	No data available	
12.4	Mobility in soil.	The product will leach into soil. The product is non- volatile and water- soluble and will partition to the aqueous phase.	
12.5	Other adverse effects		
13. DISP	OSAL		
13.1	Product Disposal	Incineration. Dispose of in accordance with all applicable local and national regulations.	
,	Container Disposal	Labels should not be removed from containers until they have been cleaned. Dispose of containers with care. Do not incinerate closed containers.	
14. TRA	NSPORT INFORMAT	TON	
14.1	UN number	1993	
14.2	UN proper shipping name	Shipping name: "Flammable liquid"	
14.3	Transport hazard class(es)	3	
14.4	Packing group	III	
14.5	Environmental hazards	Environmentally Hazard : No Marine Pollunt : No	
14.6	Special precautions for user		
15. REG	ULATORY INFORMA	ATION	
15.1	Safety, health and environ specific for the substance	nmental regulations/legislation Flammable	
15.2	Chemical Safety Assessment	None	
Note		given above only indicates the principle regulations specifically applicable to the product	

described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions,

which complete these regulations. Refer to all applicable national and local regulations or provisions.

Note



16. OTHER INFORMATION

Product Use For industrial use only. Rust preventive oil

SDS first issued Jan-05

SDS data revised, Ref.
No.

Dec'17/05

The above information is believed to be correct but does not purport to be all-inclusive **Legal disclaimer** and shall be only used as guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product.